

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Fernandina Beach**
Waterway: **Amelia River** Mile: 1.6 PWD: 079
Name: **Nassau Fertilizer & Oil Co., Lower Wharf.**
Location: Right bank, Amelia River, approximately 800 feet north of (below) the mouth of Egans Creek. Datum: MLW
Operator: Nassau Fertilizer & Oil Co. Inc.
Owner: Nassau Fertilizer & Oil Co. Inc.
Address: Foot of North 14th Street (1200 Pogy Phone: 904/261-3886
Town: Fernandina Beach State: FL County: Nassau
Railway Connection: None.
Purpose: Receipt and shipment of general cargo; mooring vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.693056
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.45972
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 13224 Dock Code: 854 Jacksonville District

Port: **Fernandina Beach**
Waterway: **Amelia River** Mile: 1.7 PWD: 080
Name: **Nassau Fertilizer & Oil Co., Upper Wharf.**
Location: Right bank, Amelia River, north of (below) the mouth of Egans Creek. Datum: MLW
Operator: Nassau Fertilizer & Oil Co. Inc.
Owner: Nassau Fertilizer & Oil Co. Inc.
Address: Foot of North 14th Street (1200 Pogy Phone: 904/261-3886
Town: Fernandina Beach State: FL County: Nassau
Railway Connection: None.
Purpose: Receipt and shipment of general cargo; mooring vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.691944
Total Berthing Space (feet): 70 | | Longitude (decimal): -81.45944
Remarks: At time of survey (1996), plans called for replacement of wharf with a concrete structure.□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 13224 Dock Code: 851 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Fernandina Beach**
Waterway: **Amelia River** Mile: 2.4 PWD: 081
Name: **Jefferson Smurfit Corp., Fernandina Plant Wharf.**
Location: Right bank, Amelia River, approximately 0.5 mile south of (above) the mouth of Egans Creek. Datum: MLW
Operator: Jefferson Smurfit Corp.
Owner: Jefferson Smurfit Corp.
Address: North 8th Street. Phone: 904/277-5786
Town: Fernandina Beach State: FL County: Nassau
Railway Connection: Plant trackage in rear; connects with CSX Transportation.
Purpose: Receipt of fuel oil by barge for plant consumption.
Depth Alongside (feet): 29 | | Latitude (decimal): 30.683056
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.45972
Remarks: One 10-inch pipeline with 6-inch, hose connection extends from pier to 2 steel storage tanks at plant in rear; total capacity 20,000 barrels.□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 13224 Dock Code: 818 Jacksonville District

Port: **Fernandina Beach**
Waterway: **Amelia River** Mile: 2.8 PWD: 082
Name: **Port of Fernandina Wharf.**
Location: Right bank, Amelia River, approximately one mile south of (above) the mouth of Egans Creek. Datum: MLW
Operator: Nassau Terminals Inc.
Owner: Nassau County - Ocean, Highway, and Port Authority.
Address: 315 North 2nd Street. Phone: 904/261-0753
Town: Fernandina Beach State: FL County: Nassau
Railway Connection: One 20-car-capacity, surface track serves terminal in rear; connects with CSX Transportation.
Purpose: Receipt and shipment of containerized and conventional general cargo in foreign and domestic trade; shipment of timber products, liner board, and wood pulp.
Depth Alongside (feet): 36 | | Latitude (decimal): 30.678333
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -81.46389
Remarks: Open container storage area at rear has capacity for 2,800 containers stacked up to 4-high and 40 positions for refrigerated containers. Harbor tugs normally berth at lower side of breasting dolphins when not in
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 13224 Dock Code: 772 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Fernandina Beach**
Waterway: **Amelia River** Mile: 2.9 PWD: 083
Name: **Fernandina Seafood Co. Wharf.**
Location: Right bank, Amelia River, approximately 1.2 miles south of (above) the mouth of Egans Creek. Datum: MLW
Operator: Fernandina Seafood Co.
Owner: Fernandina Seafood Co.
Address: 312 North Front Street. Phone: 904/261-5830
Town: Fernandina Beach State: FL County: Nassau
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing boats.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.676111
Total Berthing Space (feet): 288 | | Longitude (decimal): -81.46472
Remarks: Seafood-processing plant is located at rear of upper end.□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 13224 Dock Code: 787 Jacksonville District

Port: **Fernandina Beach**
Waterway: **Amelia River** Mile: 3.0 PWD: 084
Name: **Florida Petroleum Corp. Wharf.**
Location: Right bank, Amelia River, approximately 1.3 miles south of (above) the mouth of Egans Creek. Datum: MLW
Operator: Florida Petroleum Corp.
Owner: Florida Petroleum Corp.
Address: 231 North Front Street. Phone: 904/261-3200
Town: Fernandina Beach State: FL County: Nassau
Railway Connection: None.
Purpose: Fueling fishing boats and other small vessels; mooring small vessels.
Depth Alongside (feet): 20 | 15 | Latitude (decimal): 30.675
Total Berthing Space (feet): 240 | 12 | Longitude (decimal): -81.46472
Remarks: One 3- and one 1--inch pipelines extend to wharf from 3 horizontal, steel storage tanks in rear; total capacity 45,000 gallons. One 6-inch pipeline for providing ice to fishing vessels also serves wharf.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 13224 Dock Code: 784 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Fernandina Beach**
Waterway: **Amelia River** Mile: 3.1 PWD: 085
Name: **Tringali Brothers Shrimp Co. Wharf.**
Location: Right bank, Amelia River, approximately 1.4 miles south of (above) the mouth of Egans Creek. Datum: MLW
Operator: Tringali Brothers Shrimp Co.
Owner: Tringali Brothers Shrimp Co.
Address: 105 North Front Street. Phone: 904/261-3572
Town: Fernandina Beach State: FL County: Nassau
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.673056
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.465
Remarks: Approximately 90 feet of additional berthing space is available along rear of lower portion of wharf. The 90- by 40-foot building, approximately 60 feet in rear of lower portion of wharf, and the 55- by 30-foot rear of upper portion of wharf, are used for storage.
Year of Last Survey: 1996 Corps of Engns Waterway Code: 13224 Dock Code: 778 Jacksonville District

Port: **Fernandina Beach**
Waterway: **Amelia River** Mile: 3.2 PWD: 086
Name: **Island Seafood Co. Wharf.**
Location: Right bank, Amelia River, approximately 1.5 miles south of (above) the mouth of Egans Creek. Datum: MLW
Operator: Island Seafood Co.
Owner: Island Seafood Co.
Address: 101 North Front Street. Phone: 904/261-6892
Town: Fernandina Beach State: FL County: Nassau
Railway Connection: None.
Purpose: Fueling, icing, and mooring fishing boats.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.6725
Total Berthing Space (feet): 285 | | Longitude (decimal): -81.46528
Remarks: One 1<-inch, fueling pipeline extends to wharf from 2 steel storage tanks in rear; total capacity 15,000 gallons. One 6-inch pipeline for providing ice to fishing vessels is served by an ice plant containing a 40 crusher machine located on shore in rear.
Year of Last Survey: 1996 Corps of Engns Waterway Code: 13224 Dock Code: 777 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Fernandina Beach**
Waterway: **Amelia River** Mile: 3.5 PWD: 087
Name: **Cook Brothers Wharf.**
Location: Right bank, Amelia River, approximately 1.8 miles south of (above) the mouth of Egans Creek. Datum: MLW
Operator: Cook Brothers.
Owner: Cook Brothers.
Address: 100 West Front Street. Phone: 904/261-5858
Town: Fernandina Beach State: FL County: Nassau
Railway Connection: None.
Purpose: Mooring and repairing company-owned, fishing boats.
Depth Alongside (feet): 5 | 5 | Latitude (decimal): 30.669722
Total Berthing Space (feet): 250 | | Longitude (decimal): -81.46639
Remarks: One 100-ton, marine railway is located on upper side of wharf.□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 13224 Dock Code: 766 Jacksonville District

Port: **Fernandina Beach**
Waterway: **Amelia River** Mile: 3.9 PWD: 088
Name: **Rayonier, Fernandina Mill Wharf.**
Location: Right bank, Amelia River, approximately 2.2 miles south of (above) the mouth of Egans Creek. Datum: MLW
Operator: Rayonier Inc.
Owner: Rayonier Inc.
Address: Foot of Gum Street. Phone: 904/277-1450
Town: Fernandina Beach State: FL County: Nassau
Railway Connection: One 370-foot, surface track extends along rear of transit shed and through the warehouse in rear of transit shed, joins additional plant trackage; connects with CSX Transportation.
Purpose: Receipt of liquid caustic soda by barge.
Depth Alongside (feet): 27 - 30 | | Latitude (decimal): 30.663333
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.47333
Remarks: Transit shed is used for storing wood pulp; an additional 10,360 square feet of storage space is available in warehouse adjacent to rear of transit shed. One 8-inch pipeline extends from wharf to 2 steel, causti plant in rear; total capacity 460,000 gallons.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 13224 Dock Code: 734 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **Intracoastal Waterway)Pablo Ck** Mile: 744.6 PWD: 059
Name: **Mobro Marine, Bulkhead No. 1**
Location: Left bank, Pablo Creek (Intracoastal Waterway), approximately 700 feet below Atlantic Boulevard (State H) Datum: MLW
Operator: Mobro Marine (Moody Bros.).
Owner: Mobro Marine (Moody Bros.).
Address: 13911 Atlantic Boulevard. Phone: 904/221-7276
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Launching and mooring barges.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.324722
Total Berthing Space (feet): 475 | | Longitude (decimal): -81.4425
Remarks: Barges are constructed at rear and launched over bulkhead.□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 16502 Dock Code: 901 Jacksonville District

Port: **Jacksonville**
Waterway: **Intracoastal Waterway)Pablo Ck** Mile: 744.7 PWD: 061
Name: **Mobro Marine, Berth No. 2.**
Location: Left bank, Pablo Creek (Intracoastal Waterway), approximately 450 feet below Atlantic Boulevard (State H) Datum: MLW
Operator: Mobro Marine (Moody Bros.).
Owner: Mobro Marine (Moody Bros.).
Address: 13911 Atlantic Boulevard. Phone: 904/221-7276
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring barges for outfitting and repair.
Depth Alongside (feet): 6 - 9 | | Latitude (decimal): 30.323889
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.44194
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 16502 Dock Code: 901 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **Intracoastal Waterway)Pablo Ck** Mile: 744.7 PWD: 062
Name: **Mobro Marine, East Bulkhead Wharf.**
Location: Left bank, Pablo Creek (Intracoastal Waterway), approximately 300 feet below Atlantic Boulevard (State H) Datum: MLW
Operator: Mobro Marine (Moody Bros.).
Owner: Mobro Marine (Moody Bros.).
Address: 13911 Atlantic Boulevard. Phone: 904/221-7276
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring barges for outfitting and repair.
Depth Alongside (feet): 6 | 6 | Latitude (decimal): 30.323333
Total Berthing Space (feet): 300 | 315 | Longitude (decimal): -81.44083
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 16502 Dock Code: 901 Jacksonville District

Port: **Jacksonville**
Waterway: **Intracoastal Waterway)Pablo Ck** Mile: 744.7 PWD: 063
Name: **Mobro Marine, Pier No. 1.**
Location: Left bank, Pablo Creek (Intracoastal Waterway), approximately 300 feet below Atlantic Boulevard (State H) Datum: MLW
Operator: Mobro Marine (Moody Bros.).
Owner: Mobro Marine (Moody Bros.).
Address: 13911 Atlantic Boulevard. Phone: 904/221-7276
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring barges for outfitting and repair.
Depth Alongside (feet): - | 6 - 9 | 6 - 9 Latitude (decimal): 30.323611
Total Berthing Space (feet): 60 | 365 | 365 Longitude (decimal): -81.44
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 16502 Dock Code: 901 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **Intracoastal Waterway)Pablo Ck** Mile: 744.7 PWD: 060
Name: **Mobro Marine, West Bulkhead.**
Location: Left bank, Pablo Creek (Intracoastal Waterway), approximately 500 feet below Atlantic Boulevard (State H) Datum: MLW
Operator: Mobro Marine (Moody Bros.).
Owner: Mobro Marine (Moody Bros.).
Address: 13911 Atlantic Boulevard. Phone: 904/221-7276
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 9 - 28 | | Latitude (decimal): 30.324167
Total Berthing Space (feet): 170 | | Longitude (decimal): -81.44278
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 16502 Dock Code: 901 Jacksonville District

Port: **Jacksonville**
Waterway: **Sisters Creek** Mile: 5.0 PWD: 007
Name: **Atlantic Marine Pier.**
Location: Left bank, Sisters Creek (Intracoastal Waterway), above junction with St. Johns River, 1,300 feet south Datum: MLW
Operator: Atlantic Marine Inc.
Owner: Atlantic Marine Inc.
Address: 8500 Heckscher Drive. Phone: 904/251-1506
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring fishing boats, towboats, barges, and small vessels for outfitting and repair.
Depth Alongside (feet): 16 | | Latitude (decimal): 30.390556
Total Berthing Space (feet): 360 | | Longitude (decimal): -81.46056
Remarks: Plant in rear engages in the construction of commercial fishing boats, towboats, barges, and other types of small vessels. A launchway, having capacity for 300-ton vessels, is located on upper side of pier.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 007 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St Johns River** Mile: 9.1 PWD: 008
Name: **Gate Maritime Properties, Berth 4.**
Location: Northwest side, 1,300 feet from inner end of slip (Back River), at east end of Blount Island, left bank, Datum: MLW
Operator: Gate Maritime Properties Inc.
Owner: Gate Maritime Properties Inc.
Address: 5880 Channelview Boulevard. Phone: 904/751-3405
Town: Jacksonville State: FL County: Duval
Railway Connection: Trackage serving terminal in rear; connects with CSX Transportation.
Purpose: Mooring vessels.
Depth Alongside (feet): 38 | 20 - 38 | Latitude (decimal): 30.399167
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.52167
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 015 Jacksonville District

Port: **Jacksonville**
Waterway: **St Johns River** Mile: 9.2 PWD: 009
Name: **Gate Maritime Properties, Berth 2.**
Location: Northwest side, at inner end of slip (Back River), at east end of Blount Island, left bank, St. Johns Ri Datum: MLW
Operator: Gate Maritime Properties Inc.
Owner: Gate Maritime Properties Inc.
Address: 5880 Channelview Boulevard. Phone: 904/751-3405
Town: Jacksonville State: FL County: Duval
Railway Connection: Trackage serving terminal in rear; connects with CSX Transportation.
Purpose: Mooring vessels.
Depth Alongside (feet): 37 | | Latitude (decimal): 30.400556
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -81.52389
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 015 Jacksonville District

Port Series No. 15

Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
 Waterway: **St. Johns River** Mile: 10.2 PWD: 014
 Name: **Jacksonville Port Authority, Blount Island Marine Terminal, Berths**
 Location: Left bank, St. Johns River (Dame Point - Fulton Cutoff), approximately 1.8 miles above lower end of Blou Datum: MLW
 Operator: Jacksonville Port Authority. (See Remarks.)
 Owner: Jacksonville Port Authority.
 Address: 9620 Dave Rawls Boulevard. Phone:
 Town: Jacksonville State: FL County: Duval
 Railway Connection: One surface track on apron joins additional trackage including an 11<-acre intermodal yard at terminal in rear; connects with CSX Transportation.
 Purpose: Receipt and shipment of containerized, conventional, and roll-on/roll-off general cargo in foreign and domestic trade; receipt of automobiles.
 Depth Alongside (feet): 38 | | Latitude (decimal): 30.389166
 Total Berthing Space (feet): 2,750 | | Longitude (decimal): -81.53806
 Remarks: At time of survey (1996), open container storage area at rear, comprised the following: Seabarge Container Service - 23 acres with capacity for 600 containers on chassis and stacked up to 3-high; Sea-Land Servic acres with capacity for 1,000 containers on chassis; Navieras NPR Inc. - 35 acres with capacity for 1,000 containers on chassis including 90 positions for refrigerated containers. Gantry crane rails extend to in linecontiguous to Berths 3, 2, and 1 (P.W.D. Ref. No. 15), providing a total of 5,450 feet of continuous berthing space.
 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 018 Jacksonville District

Port: **Jacksonville**
 Waterway: **St. Johns River** Mile: 10.4 PWD: 019
 Name: **Jacksonville Electric Authority, Northside Generating Station Whar**
 Location: Left bank, St. Johns River (Blount Island Channel West), approxi-mately 1.6 miles below west end of Dame Datum: MLW
 Operator: Jacksonville Electric Authority.
 Owner: City of Jacksonville.
 Address: 4377 Heckscher Drive. Phone: 904/632-6258
 Town: Jacksonville State: FL County: Duval
 Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Transportation.
 Purpose: Receipt of fuel oil for plant consumption by tanker and barge.
 Depth Alongside (feet): 30 | | Latitude (decimal): 30.410278
 Total Berthing Space (feet): 700 | | Longitude (decimal): -81.54583
 Remarks: One 16-inch, electrically traced, and one 12-inch pipelines extend from wharf to 7 and 4 steel storage tanks, respectively, at plant in rear; total capacity 1,636,500 barrels. Two of the fuel oil storage tanks, barrels, were not in use at time of survey (1996).
 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 019 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 10.5 PWD: 018
Name: **Jacksonville Port Authority, Blount Island Marine Terminal, West W**
Location: Right bank, St. Johns River (Blount Island Channel West), approx. 1.2 miles below west end of Dame Point Datum: MLW
Operator: Jacksonville Port Authority.
Owner: Jacksonville Port Authority.
Address: Foot of Intermodal Drive. Phone: 904/757-6864
Town: Jacksonville State: FL County: Duval
Railway Connection: Terminal trackage includes an 11<-acre intermodal yard in rear; connects with CSX Transportation.
Purpose: Receipt and shipment of motor vehicles. (See Remarks.)
Depth Alongside (feet): 30 | | Latitude (decimal): 30.387222
Total Berthing Space (feet): 840 | | Longitude (decimal): -81.54556
Remarks: At time of survey (1996), wharf was under construction and is described as planned. See Remarks under West Wharf No. 1 (P.W.D. Ref. No. 17).
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 018 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 10.7 PWD: 015
Name: **Jacksonville Port Authority, Blount Island Marine Terminal, Berths**
Location: Left bank, St. Johns River (Dame Point-Fulton Cutoff), approximately 0.7 mile below the Napoleon Broward Datum: MLW
Operator: Jacksonville Port Authority. (See Remarks.)
Owner: Jacksonville Port Authority.
Address: 9620 Dave Rawls Boulevard. Phone: 904/757-6864
Town: Jacksonville State: FL County: Duval
Railway Connection: Two surface tracks on apron, one surface track along rear of Transit Shed No. 1, and two surface tracks in rear of Transit Shed No. 2; connect with CSX Transportation.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of steel products; shipment of paper products and shipment of fructose and corn syrup (directly from rail cars).
Depth Alongside (feet): 38 | | Latitude (decimal): 30.387778
Total Berthing Space (feet): 2,500 | | Longitude (decimal): -81.54667
Remarks: At time of survey, Transit Shed No. 2 was leased to Navieras NPR Inc. (See Remarks under P.W.D Ref. No. 14).
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 018 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 10.8 PWD: 017
Name: **Jacksonville Port Authority, Blount Island Marine Terminal, West W**
Location: Right bank, St. Johns River (Blount Island Channel West), approximately 0.7 mile below west end of Dame Datum: MLW
Operator: Jacksonville Port Authority. (See Remarks.)
Owner: Jacksonville Port Authority.
Address: 5160 William Mills Street. Phone: 904/757-6864
Town: Jacksonville State: FL County: Duval
Railway Connection: Terminal trackage includes an 11<-acre intermodal yard in rear; connects with CSX Transportation.
Purpose: Receipt and shipment of motor vehicles.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.395833
Total Berthing Space (feet): 840 | | Longitude (decimal): -81.54944
Remarks: Approximately 280 acres of paved, vehicle storage area are located in rear. At time of survey (1996), open vehicle storage areas comprised the following: Benicia-Hobelmann Port Services Inc. - 40,000 vehicles; Di Services Inc.- 12,200 vehicles; Caldwell Maritime Agencies Inc.- 1,500 vehicles; Wallenius Lines N.A. Inc. - 1,400 vehicles; and Stevedoring Services of America - 1,200 vehicles.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 018 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 11.0 PWD: 016
Name: **Jacksonville Port Authority, Blount Island Marine Terminal, Ro-Ro**
Location: Left bank, St. Johns River (Dame Point-Fulton Cutoff), approximately 0.4 mile below the Napoleon Broward Datum: MLW
Operator: Jacksonville Port Authority. (See Remarks.)
Owner: Jacksonville Port Authority.
Address: 9620 Dave Rawls Boulevard. Phone: 904/757-6864
Town: Jacksonville State: FL County: Duval
Railway Connection: Terminal trackage includes an 11<-acre intermodal yard in rear; connects with CSX Transportation.
Purpose: Receipt and shipment of roll-on/roll-off general cargo in foreign and domestic trade.
Depth Alongside (feet): 38 | 66 | Latitude (decimal): 30.386944
Total Berthing Space (feet): - | | Longitude (decimal): -81.55111
Remarks: Vessels berth at Berth 1 (P.W.D. Ref. No. 15) with end-to lower side. A specially designed, floating ramp system providing access for end-to loading at three deck levels of specially designed vessels is used betw vessel as needed. At time of survey (1996), Trailer Bridge Inc. leased 17 acres of open storage staging area at rear with capacity for approximately 600 trailers.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 018 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 11.1 PWD: 020
Name: **The Celotex Corp., Jacksonville Plant Wharf.**
Location: Left bank, St. Johns River (Blount Island Channel West), approxi-mately 0.4 miles below west end of Dame Datum: MLW
Operator: The Celotex Corp.
Owner: The Celotex Corp.
Address: 9225 Dame Point Road. Phone: 904/751-4400
Town: Jacksonville State: FL County: Duval
Railway Connection: Trackage serving plant in rear; connects with CSX Transportation.
Purpose: Receipt of gypsum rock by self-unloading vessel.
Depth Alongside (feet): 32 | | Latitude (decimal): 30.392222
Total Berthing Space (feet): 536 | | Longitude (decimal): -81.55417
Remarks: Plant in rear manufactures gypsum wallboard. □ Open storage area at rear of wharf has capacity for approximately 150,000 tons of gypsum rock.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 020 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 13.7 PWD: 021
Name: **Jacksonville Port Authority, Ed Austin Marine Terminal Wharf.**
Location: Left bank, St. Johns River, below mouth of Dunn Creek. Datum: MLW
Operator: Martin Marietta Materials Inc.
Owner: Jacksonville Port Authority.
Address: 9810 August Drive. Phone: 904/751-6295
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials (limestone and granite).
Depth Alongside (feet): 38 | | Latitude (decimal): 30.412778
Total Berthing Space (feet): 1,280 | | Longitude (decimal): -81.58139
Remarks: An 8-acre, open storage area at rear has capacity for approximately 400,000 tons. □
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 022 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 14.5 PWD: 022
Name: **Amerada Hess Corp., Jacksonville Terminal Wharf.**
Location: Left bank, St. Johns River, below mouth of Broward River. Datum: MLW
Operator: Amerada Hess Corp.
Owner: Amerada Hess Corp.
Address: 2617 Heckscher Drive. Phone: 904/757-4498
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 38 | | Latitude (decimal): 30.410833
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.5975
Remarks: One 20-, one 14-, and one 10-inch pipelines extend from wharf to 8 steel storage tanks in rear; total capacity 653,800 barrels.□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 025 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 14.8 PWD: 023
Name: **BP Oil Co., Drummond Point Terminal Wharf.**
Location: Drummond Point, left bank, St. Johns River, above mouth of Broward River. Datum: MLW
Operator: BP Oil Co. and Amoco Oil Co.
Owner: BP Oil Co.
Address: 2054 Heckscher Drive. Phone: 904/757-4650
Town: Jacksonville State: FL County: Duval
Railway Connection: One surface track serving 16-car-capacity, tank-car-loading rack in rear; connects with CSX Transportation.
Purpose: Receipt of petroleum products; occasional shipment of diesel fuel.
Depth Alongside (feet): 40 - 42 | | Latitude (decimal): 30.408611
Total Berthing Space (feet): 950 | | Longitude (decimal): -81.60222
Remarks: BP Oil Co.: Two 16-, one 14-, two 10-, and one 8-inch pipelines extend from wharf to 15 steel storage tanks in rear; total capacity 903,600 barrels.□ Amoco Oil Co.: One 8-/14-inch pipeline extends from wharf to tanks; total capacity 260,000 barrels.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 026 Jacksonville District

Port Series No. 15 Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 17.1 PWD: 026
Name: **City of Jacksonville, Fireboat Pier.**
Location: Left bank, St. Johns River, 800 feet above the mouth of Trout River. Datum: MLW
Operator: City of Jacksonville, Fire Department; and U. S. Coast Guard Reserve.
Owner: United States Government.
Address: 6925 Evergreen Avenue. Phone: 904/764-8477
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring fireboat 'EUGENE JOHNSON, MARINE 1', and occasionally U. S. Coast Guard Reserve vessels.
Depth Alongside (feet): 6 | 0 - 6 | 0 - 6 Latitude (decimal): 30.383889
Total Berthing Space (feet): - | 80 | 80 Longitude (decimal): -81.63194
Remarks: Building in rear provides offices and accommodations for fireboat crew. □ □
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 063 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 17.1 PWD: 027
Name: **United States Gypsum Co., Jacksonville Plant Pier.**
Location: Left bank, St. Johns River, 1,300 feet above the mouth of Trout River. Datum: MLW
Operator: United States Gypsum Co.
Owner: United States Gypsum Co.
Address: 6825 Evergreen Avenue. Phone: 904/768-2501
Town: Jacksonville State: FL County: Duval
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Transportation.
Purpose: Receipt of gypsum rock.
Depth Alongside (feet): 31 - 37 | | Latitude (decimal): 30.382222
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.63139
Remarks: At time of survey (1996), wharf was in pre-construction stage and is described as it will appear upon completion of construction in 1998. □ Wallboard plant storage building with capacity for approximately 15,000 to gypsum rock and open storage area with capacity for an additional 65,000 tons are located in rear.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 064 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 17.3 PWD: 028
Name: **ST Services Jacksonville Terminal, Barge Wharf.**
Location: Left bank, St. Johns River, 2,500 feet above the mouth of Trout River. Datum: MLW
Operator: ST Services.
Owner: ST Services.
Address: 6531 Evergreen Avenue. Phone: 904/355-9675 ext
Town: Jacksonville State: FL County: Duval
Railway Connection: One surface track serves tank-car-loading rack at terminal in rear; connects with CSX Transportation.
Purpose: Shipment of petroleum products by barge; supplying harbor bunkering barges.
Depth Alongside (feet): 22 | 18 | 16 Latitude (decimal): 30.379444
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -81.63278
Remarks: One 14-, one 12-, one 10-, and one 4-inch pipelines extend from wharf to 28 steel storage tanks in rear; total capacity 2,200,000 barrels.□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 074 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 17.4 PWD: 029
Name: **S T Services Jacksonville Terminal, Tanker Wharf.**
Location: Left bank, St. Johns River, approximately 0.5 mile above the mouth of Trout River. Datum: MLW
Operator: ST Services.
Owner: ST Services.
Address: 6531 Evergreen Avenue. Phone: 904/355-9675 ext
Town: Jacksonville State: FL County: Duval
Railway Connection: One surface track serves tank-car-loading rack at terminal in rear; connects with CSX Transportation.
Purpose: Receipt and occasional shipment of petroleum products.
Depth Alongside (feet): 38 | | Latitude (decimal): 30.378333
Total Berthing Space (feet): 875 | | Longitude (decimal): -81.63083
Remarks: One 24-, one 16-, two 12- and two 10-inch pipelines extend from wharf to storage tanks described under P.W.D Ref. No. 28. An additional company-owned pier, located approximately 2,000 feet upstream, had been sev vessel collision and was completely out of service at time of survey.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 074 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 17.9 PWD: 030
Name: **PCS Phosphate, Jacksonville Bulk Terminal Wharf.**
Location: Left bank, St. Johns River, along upper side of mouth of Long Branch Creek. Datum: MLW
Operator: White Springs Agricultural Chemicals Inc., d.b.a. PCS Phosphate - White Springs.
Owner: White Springs Agricultural Chemicals Inc., d.b.a. PCS Phosphate - White Springs.
Address: 1301 Wigmore Street. Phone: 904/632-3818
Town: Jacksonville State: FL County: Duval
Railway Connection: One surface track, extending through a 2-car-capacity unloading shed, joins 4 surface tracks with a total capacity for 50 cars; connects with Georgia Southern and Florida Railway (Norfolk Southern Corp.).Railwa
Purpose: Shipment of phosphate rock, phosphoric acid, and phosphatic products.
Depth Alongside (feet): 38 | | Latitude (decimal): 30.370556
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.63278
Remarks: Six concrete, phosphate rock storage silos are located in rear; total capacity 20,000 tons (dicalcium phosphate). One 14-inch pipeline extends to wharf from six steel, phosphoric acid storage tanks in rear; tota gallons.
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 097 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 18.3 PWD: 031
Name: **Jefferson Smurfit Corp., Jacksonville Plant, Fuel Oil Dock.**
Location: Left bank, St. Johns River, approximately 2,000 feet above the mouth of Long Branch Creek. Datum: MLW
Operator: Jefferson Smurfit Corp.
Owner: Jefferson Smurfit Corp.
Address: 1915 Wigmore Street. Phone: 904/798-5671
Town: Jacksonville State: FL County: Duval
Railway Connection: Plant trackage in rear; connects with Norfolk Southern Corp.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 24 | | Latitude (decimal): 30.3675
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.62528
Remarks: One 10-inch pipeline extends from wharf to one 12,000-barrel-capacity storage tank at plant in rear. □
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 124 Jacksonville District

Port Series No. 15 Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 18.5 PWD: 032
Name: **Jacksonville Electric Authority, J. Dillon Kennedy Generating Stat**
Location: Left bank, St. Johns River, approximately 0.6 mile above the mouth of Long Branch Datum: MLW
Creek.
Operator: Jacksonville Electric Authority.
Owner: City of Jacksonville.
Address: 4215 Talleyrand Avenue. Phone: 904/632-5289
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Receipt and occasional shipment of fuel oil by tanker and barge.
Depth Alongside (feet): 36 - 38 | | Latitude (decimal): 30.364722
Total Berthing Space (feet): 220 | | Longitude (decimal): -81.62278
Remarks: One 12-inch pipeline extends from wharf to 3 steel storage tanks in rear; total capacity 258,000 barrels.□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 134 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 18.8 PWD: 033
Name: **Coastal Fuels Marketing, Jacksonville Terminal Wharf.**
Location: Left bank, St. Johns River, approximately 0.9 mile above the mouth of Long Branch Datum: MLW
Creek.
Operator: Coastal Fuels Marketing Inc. and ITAPCO-Jacksonville Inc.
Owner: Coastal Fuels Marketing Inc.
Address: 3425 Talleyrand Avenue. Phone: 904/358-6725
Town: Jacksonville State: FL County: Duval
Railway Connection: Terminal trackage serves 6-car-capacity, tank-car-loading rack in rear; connects with Norfolk Southern Corp.
Purpose: Coastal Fuels Marketing Inc.: Receipt and occasional shipment of asphalt; ITAPCO-Jacksonville Inc.: Shipment of chemicals (hydrocarbons).
Depth Alongside (feet): 34 | | Latitude (decimal): 30.360833
Total Berthing Space (feet): 750 | | Longitude (decimal): -81.61944
Remarks: Coastal Fuels Marketing Inc.: Two 12-, one 10-, one 8-, and one 6-inch pipelines extend from wharf to 16 steel, petroleum products storage tanks, total capacity 330,000 barrels; one 6-inch pipeline extends from asphalt storage tanks, total capacity 60,900 barrels.□ITAPCO-Jacksonville Inc.: Four 6-inch pipelines extend from wharf to 12 steel storage tanks, total capacity 1,302,000 gallons.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 146 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 19.1 PWD: 034
Name: **Chevron U.S.A., Jacksonville Terminal Wharf.**
Location: Left bank, St. Johns River, approximately 1.1 miles above the mouth of Long Branch Creek. Datum: MLW
Operator: Chevron U.S.A. Inc. and Witco Corp.
Owner: Chevron U.S.A. Inc.
Address: 3117 Talleyrand Avenue. Phone: 904/353-1094
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Receipt of petroleum products by tanker and barge.
Depth Alongside (feet): 36 | | Latitude (decimal): 30.357778
Total Berthing Space (feet): 280 | | Longitude (decimal): -81.61972
Remarks: Chevron U.S.A. Inc.: Five 12-inch pipelines extend from wharf to 17 steel storage tanks in rear, total capacity 466,400 barrels. □ Witco Corp.: One 12- and two 8-inch pipelines extend from wharf to 7 steel storage tanks in rear, total capacity 95,000 barrels.
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 151 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 19.1 PWD: 011
Name: **Gate Maritime Properties, Berth 3.**
Location: Southwest side, at inner end of slip (Back River), at east end of Blount Island, left bank, St. Johns Ri Datum: MLW
Operator: Gate Maritime Properties Inc. and McAllister Towing of Florida.
Owner: Gate Maritime Properties Inc.
Address: 5880 Channelview Boulevard. Phone: 904/751-6228
Town: Jacksonville State: FL County: Duval
Railway Connection: Trackage serving terminal in rear; connects with CSX Transportation.
Purpose: Mooring vessels; mooring harbor tugs.
Depth Alongside (feet): 38 | | Latitude (decimal): 30.3975
Total Berthing Space (feet): 700 | | Longitude (decimal): -81.52222
Remarks: McAllister Towing of Florida bases up to 6 tugs used for docking and undocking vessels in Jacksonville Harbor at pier. □
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 015 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 19.2 PWD: 036
Name: **Jacksonville Port Authority, Talleyrand Docks and Terminals, Berth**
Location: Left bank, St. Johns River, approximately 2 miles below John E. Mathews Bridge. Datum: MLW
Operator: Jacksonville Port Authority, Crowley American Transport Inc., and Koch Refining Co.
Owner: Jacksonville Port Authority.
Address: 3001 Talleyrand Avenue. Phone: 904/354-1411
Town: Jacksonville State: FL County: Duval
Railway Connection: Talleyrand Railway Inc.: Two surface tracks on apron; connect with CSX Transportation.
Purpose: Receipt and shipment of containerized and conventional general cargo in foreign and domestic trade; receipt of petroleum products.
Depth Alongside (feet): 38 | | Latitude (decimal): 30.355833
Total Berthing Space (feet): 1,050 | | Longitude (decimal): -81.61972
Remarks: Berths 1 through 5 (P.W.D. Ref. Nos. 36, 37, and 38) and the Toyota Berth (P.W.D. Ref. No. 39) are in line and contiguous, providing a total of 4,550 feet of continuous berthing space. At time of survey (1996), acres of open container storage and staging area at rear, under lease to Crowley American Transport Inc., comprised a capacity for approximately 700 containers on chassis and 40 refrigerated container positions. Koch Refining Co.: Two 12-inch pipelines extend from lower end of wharf to 9 steel storage tanks on opposite side of Talleyrand Avenue, south of 11th Street; total capacity 313,000 barrels.
Year of Last Survey: 1996 Corps of Eng'rs Waterway Code: 14018 Dock Code: 160 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 19.2 PWD: 035
Name: **U. S. Army Corps of Engineers, Jacksonville District Slip.**
Location: Left bank, St. Johns River, approximately 2 miles below John E. Mathews Bridge. Datum: MLW
Operator: U. S. Army Corps of Engineers.
Owner: United States Government.
Address: 3077 Talleyrand Avenue. Phone: 904/232-2101
Town: Jacksonville State: FL County: Duval
Railway Connection: Use of trackage serving adjacent Talleyrand Docks (P.W.D. Ref. No. 36).
Purpose: Mooring government-owned, floating equipment.
Depth Alongside (feet): 3 - 6 | 3 - 8 | 4 - 6 Latitude (decimal): 30.357222
Total Berthing Space (feet): - | 130 | 47 Longitude (decimal): -81.61972
Remarks: Warehouse and office building is located at rear. □ □
Year of Last Survey: 1996 Corps of Eng'rs Waterway Code: 14018 Dock Code: 152 Jacksonville District

Port Series No. 15 Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 19.5 PWD: 037
Name: **Jacksonville Port Authority, Talleyrand Docks and Terminals, Berth**
Location: Left bank, St. Johns River, approximately 1.8 miles below John E. Mathews Bridge. Datum: MLW
Operator: Jacksonville Port Authority; Columbus Line Inc.; Blue Star North America Ltd.; and We
Owner: Jacksonville Port Authority.
Address: 2701 Talleyrand Avenue. Phone: 904/354-1411
Town: Jacksonville State: FL County: Duval
Railway Connection: Talleyrand Railway Inc.: Two surface tracks on apron; connect with CSX Transportation.
Purpose: Receipt and shipment of containerized and conventional general cargo in foreign and domestic trade; receipt of molasses, caustic soda, gum turpentine, and lignin sulfonate.
Depth Alongside (feet): 36 | | Latitude (decimal): 30.352222
Total Berthing Space (feet): 1,700 | | Longitude (decimal): -81.62056
Remarks: At time of survey (1996), approximately 12 acres of open container storage and staging area at rear, under lease to Columbus Line Inc. and Blue Star North America Ltd., comprised a capacity for approximately 500 and stacked, and 70 refrigerated container positions. □Jax Cold Storage - Port facility operates a 40,000-square-foot, refrigerated facility inside transit shed. Westway Trading Corp.: One 12-, two 8-, and two 6-inch pipelines extend from wharf to 4 molasses storage tanks, total capacity 544,000 gallons; 8 caustic soda storage tanks, total capacity 6,000,000 gtanks, total capacity 336,000 gallons; and 5 lignin sulfonate storage tanks, total capacity 2,500,000 gallons at terminal in rear.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 164 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 19.8 PWD: 038
Name: **Jacksonville Port Authority, Talleyrand Docks and Terminals, Berth**
Location: Left bank, St. Johns River, approximately 1.6 miles below John E. Mathews Bridge. Datum: MLW
Operator: Jacksonville Port Authority; Green Cove Maritime Inc.; and Seabarge Container Service
Owner: Jacksonville Port Authority.
Address: 2701 Talleyrand Avenue. Phone: 904/354-1411
Town: Jacksonville State: FL County: Duval
Railway Connection: Talleyrand Railway Inc.: Two surface tracks on apron; connect with CSX Transportation.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 36 | | Latitude (decimal): 30.348056
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -81.62111
Remarks: Berths 1 through 5 (P.W.D. Ref. Nos. 36, 37, and 38) and the Toyota Berth (P.W.D. Ref. No. 39) are in line and contiguous, providing a total of 4,550 feet of continuous berthing space. At time of survey (1996), acres of open container storage and staging area at rear, under lease to Green Cove Maritime Inc. and Seabarge Container Service, comprised a capacity for approximately 750 containers on chassis and 70 refrigerated copositions.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 166 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.2 PWD: 001
Name: **Detyens Shipyard, Lower Wharf.**
Location: Left bank, St. Johns River, approximately 300 feet above the mouth of Shad Creek. Datum: MLW
Operator: Detyens Shipyard Inc.
Owner: S & H Land Corp.
Address: 9852 Heckscher Drive. Phone: 904/251-3707
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring towboats, fishing boats, barges, and small vessels for repair and outfitting.
Depth Alongside (feet): 12 - 25 | - | Latitude (decimal): 30.399722
Total Berthing Space (feet): 65 | | Longitude (decimal): -81.43278
Remarks: *At time of survey (1996), the 138-foot timber section of wharf had collapsed and a sunken vessel was blocking that portion of berth. One 125- and one 400-ton, marine railways are located between wharf and Upper Wharf (P.W.D. Ref. No. 2); marine repair plant is located in rear.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 003 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.2 PWD: 002
Name: **Detyens Shipyard, Upper Wharf.**
Location: Left bank, St. Johns River, approximately 400 feet above the mouth of Shad Creek. Datum: MLW
Operator: Detyens Shipyard Inc.
Owner: S & H Land Corp.
Address: 9852 Heckscher Drive. Phone: 904/251-3707
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring towboats, fishing boats, barges, and small vessels for repair and outfitting.
Depth Alongside (feet): 25 | - | Latitude (decimal): 30.399722
Total Berthing Space (feet): 210 | - | Longitude (decimal): -81.43333
Remarks: Additional berthing space is available at a concrete pile, concrete-decked pier at rear of face of upper side. See Remarks under P.W.D. Ref. No. 1.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 003 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.3 PWD: 078
Name: **St. Johns Bar Pilot Association Wharf.**
Location: Right bank, St. Johns River, approximately 2.3 miles above St. Johns Point. Datum: MLW
Operator: St. Johns Bar Pilot Association.
Owner: St. Johns Bar Pilot Association.
Address: 4910 Ocean Street. Phone: 904/249-5631
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Mooring harbor pilot boats.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.398056
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.42806
Remarks: Building at rear serves as a pilot station. One 2<-inch, diesel fuel pipeline extends to wharf from 2 steel storage tanks at rear; total capacity 8,000 gallons.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 750 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.4 PWD: 076
Name: **La Cruise Wharf.**
Location: Right bank, St. Johns River, approximately 2.4 miles above St. Johns Point. Datum: MLW
Operator: La Cruise Inc.
Owner: La Cruise Inc.
Address: 4738 Ocean Street. Phone: 904/241-7200
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Mooring casino cruise vessel; boarding passengers.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.395
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.43083
Remarks: Casino vessel maintains a daily schedule from wharf.□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 982 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.4 PWD: 077
Name: **Mayport Ferry Slip.**
Location: Right bank, St. Johns River, approximately 2.4 miles above St. Johns Point. Datum: MLW
Operator: State of Florida, Department of Transportation, St. Johns River Ferry Service Organiza
Owner: State of Florida, Department of Transportation. (See Remarks.)
Address: 4800 Ocean Street. Phone: 904/270-2520
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferries from Fort George.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.395556
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.43028
Remarks: At time of survey (1996), plans called for ownership to be transferred to the City of Jacksonville.
Ferries 'Blackbeard' and 'Jean Ribault' operate frequent service to Fort George Ferry Slip (P.W.D. Ref. No. 3). Two diesel fuel storage tanks at rear have total capacity for 20,000 gallons.
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 983 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.5 PWD: 074
Name: **Roland Ice & Fuel Co. Wharf.**
Location: Right bank, St. Johns River, approximately 2.5 miles above St. Johns Point. Datum: MLW
Operator: Roland Ice & Fuel Co.
Owner: Roland Ice & Fuel Co.
Address: 4700 Ocean Street. Phone: 904/246-9444
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Mooring, icing, and fueling fishing vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.393889
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.43139
Remarks: Ice plant contains a 45-ton icemaker and ice crusher for supplying vessels; a 6-inch, ice conveyor pipeline extends to wharf along lower side of approach. One 2-inch, diesel fueling pipeline extends to wharf fro storage tank at rear.
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 969 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.5 PWD: 075
Name: **Singleton's Seafood Shack Wharf.**
Location: Right bank, St. Johns River, approximately 2.5 miles above St. Johns Point. Datum: MLW
Operator: Singleton's Seafood Shack.
Owner: Dean Singleton.
Address: 4728 Ocean Street. Phone: 904/246-4442
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 30.394722
Total Berthing Space (feet): 65 | 61 | Longitude (decimal): -81.43083
Remarks: Seafood restaurant is located at rear. □□
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 967 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.6 PWD: 073
Name: **Gilmer Pier.**
Location: Right bank, St. Johns River, approximately 2.6 miles above St. Johns Point. Datum: MLW
Operator: Mary Gilmer.
Owner: Mary Gilmer.
Address: 4652 Ocean Street. Phone:
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.393611
Total Berthing Space (feet): 70 | | Longitude (decimal): -81.43139
Remarks: -□□
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 971 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.6 PWD: 072
Name: **Leon Beasley Pier.**
Location: Right bank, St. Johns River, approximately 2.6 miles above St. Johns Point. Datum: MLW
Operator: Leon Beasley.
Owner: Leon Beasley.
Address: 4636 Ocean Street. Phone: 904/246-4859
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 8 | | Latitude (decimal): 30.393611
Total Berthing Space (feet): 50 | | Longitude (decimal): -81.43139
Remarks: Vessels berth along lower side. □□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 973 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.7 PWD: 070
Name: **Atlantic Seafood Co. Wharf.**
Location: Right bank, St. Johns River, approximately 2.7 miles above St. Johns Point. Datum: MLW
Operator: Atlantic Seafood Co. of Mayport, Florida.
Owner: Atlantic Seafood Co. of Mayport, Florida.
Address: 4542 Ocean Street. Phone: 904/249-4031
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Receipt of seafood; mooring, fueling, and icing fishing boats.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.3925
Total Berthing Space (feet): 230 | | Longitude (decimal): -81.43222
Remarks: Building in rear of lower part of wharf is used for processing seafood. Ice plant contains 20-ton icemaker and ice crusher with hose for supplying vessels. Wharf is in line and contiguous with P.W.D. Ref. No. 69. diesel fueling pipeline extends to wharf from one 8,000-gallon storage tank at rear.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 977 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.7 PWD: 069
Name: **Mat Roland Seafood Co. Wharf.**
Location: Right bank, St. Johns River, approximately 2.7 miles above St. Johns Point. Datum: MLW
Operator: Mat Roland Seafood Co. Inc.
Owner: Mat Roland Seafood Co. Inc.
Address: 4510 Ocean Street. Phone: 904/246-9444
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Receipt of seafood; mooring, fueling, and icing fishing vessels.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 30.383611
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.43278
Remarks: Building in rear, used for processing seafood, forms approach to wharf. Ice storage house is located in rear with chute to ice crusher machine on wharf. Wharf is in line and contiguous with P.W.D. Ref. No. 70.

Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 978 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.7 PWD: 071
Name: **St. Johns River Ferry Service, Maintenance Yard Dock.**
Location: Right bank, St. Johns River, approximately 2.7 miles above St. Johns Point. Datum: MLW
Operator: State of Florida, Department of Transportation, St. Johns River Ferry Service Organiz
Owner: State of Florida, Department of Transportation. (See Remarks.)
Address: 4610 Ocean Street. Phone: 904/270-2520
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Mooring idle ferryboats for storage, maintenance, and repair.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.392778
Total Berthing Space (feet): 190 | | Longitude (decimal): -81.43194
Remarks: At time of survey (1996), plans called for ownership to be transferred to the City of Jacksonville. □

Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 975 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.8 PWD: 068
Name: **Miss Becky Seafood Co. Wharf.**
Location: Right bank, St. Johns River, approximately 2.8 miles above St. Johns Point. Datum: MLW
Operator: Miss Becky Seafood Co. Inc.
Owner: Miss Becky Seafood Co. Inc.
Address: 4432 Ocean Street. Phone: 904/241-4331
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 6 - 12 | | Latitude (decimal): 30.390556
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.43361
Remarks: Five timber pile, timber-decked piers at upper side, forming 4 slips, extend from steel sheet pile bulkhead with concrete-surfaced solid fill in rear. □
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 987 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.8 PWD: 067
Name: **Monty's Marina Wharf.**
Location: Right bank, St. Johns River, approximately 2.8 miles above St. Johns Point. Datum: MLW
Operator: Miss Becky Seafood Inc., d.b.a. Monty's Marina.
Owner: Miss Becky Seafood Inc., d.b.a. Monty's Marina.
Address: 4378 Ocean Street. Phone: 904/246-7575
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Mooring party boat and fishing vessels.
Depth Alongside (feet): 12 | 4 - 12 | Latitude (decimal): 30.39
Total Berthing Space (feet): 70 | 6 | Longitude (decimal): -81.43361
Remarks: Buildings at rear are used for office and waiting room. One 2- and one 1<- inch, fueling pipelines extend to wharf from 2 diesel fuel storage tanks, total capacity 40,000 gallons, and from one 2,000-gallon, gaso respectively.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 989 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.9 PWD: 066
Name: **Gerald Peck Wharf.**
Location: Right bank, St. Johns River, approximately 2.9 miles above St. Johns Point. Datum: MLW
Operator: Gerald Peck.
Owner: Gerald Peck.
Address: 4340 Ocean Street. Phone:
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | | Latitude (decimal): 30.389167
Total Berthing Space (feet): 330 | | Longitude (decimal): -81.43389
Remarks: Upper end of wharf adjoins P.W.D. Ref. No. 65. □ □
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 991 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 2.9 PWD: 065
Name: **Mayport Yacht Basin and Wharves.**
Location: Right bank, St. Johns River, approximately 3 miles above St. Johns Point. Datum: MLW
Operator: Mayport Yacht Basin Inc.
Owner: Chris Prescott.
Address: 4280 Ocean Street. Phone: 904/757-5403
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Mooring fishing boats; occasional receipt of seafood.
Depth Alongside (feet): 5 - 8 | 0 - 6 | 5 - 8 Latitude (decimal): 30.388056
Total Berthing Space (feet): 120 | 160 | 300 Longitude (decimal): -81.43417
Remarks: Basin is approximately 350 feet long by 200 feet wide. Additional berthing space is available along sides of basin and at a timber building at inner end of upper side.
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 993 Jacksonville District

Port Series No. 15

Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
 Waterway: **St. Johns River** Mile: 20.0 PWD: 039
 Name: **Jacksonville Port Authority, Toyota Berth.**
 Location: Left bank, St. Johns River, approximately 1.3 miles below John E. Mathews Bridge. Datum: MLW
 Operator: Southeast Toyota Distributors Inc.
 Owner: Jacksonville Port Authority.
 Address: 1751 Talleyrand Avenue. Phone: 904/358-4468
 Town: Jacksonville State: FL County: Duval
 Railway Connection: Two platform-level tracks along north side of transit shed joined by one surface track in rear, with total capacity for 22 auto carriers; connect with CSX Transportation.
 Purpose: Receipt of automobiles in foreign trade.
 Depth Alongside (feet): 36 | | Latitude (decimal): 30.345
 Total Berthing Space (feet): 700 | | Longitude (decimal): -81.62222
 Remarks: Transit shed is used as an automobile-processing- and distribution facility. Paved, open storage areas located at rear of wharf and on opposite side of Talleyrand Avenue have a total capacity of 63 acres and cap approximately 6,000 vehicles.
 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 169 Jacksonville District

Port: **Jacksonville**
 Waterway: **St. Johns River** Mile: 20.6 PWD: 058
 Name: **Cross State Towing Co., Arlington Wharf.**
 Location: Right bank, approximately 0.4 mile below John E. Mathews Bridge. Datum: MLW
 Operator: Cross State Towing Co. Inc.
 Owner: Cross State Towing Co. Inc.
 Address: 5138 Arlington Road. Phone: 904/745-1603
 Town: Jacksonville State: FL County: Duval
 Railway Connection: None.
 Purpose: Mooring small vessels for repair; mooring company-owned, floating equipment.
 Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.333333
 Total Berthing Space (feet): 20 | 60 | Longitude (decimal): -81.61222
 Remarks: One 1,000-ton, marine railway is located on upper side.□□
 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 250 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 20.6 PWD: 040
Name: **Crowley American Transport, McGiffen Dock.**
Location: Left bank, St. Johns River, approximately 0.7 mile below John E. Mathews Bridge. Datum: MLW
Operator: Crowley American Transport Inc.; and Trumbull Asphalt, Division of Owens-Corning Fibre
Owner: Crowley American Transport Inc.
Address: 1163 Talleyrand Avenue. Phone: 904/727-2265
Town: Jacksonville State: FL County: Duval
Railway Connection: One surface track in rear of wharf, and one platform-level track along rear of transit shed; connect with CSX Transportation.
Purpose: Mooring company-owned equipment; receipt of asphalt.
Depth Alongside (feet): 15 - 25 | | Latitude (decimal): 30.338889
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -81.62694
Remarks: Additional berthing space is available at a 440-foot, timber pile, timber-decked wharf at and perpendicular to lower side. □ Trumbull Asphalt, Division of Owens-Corning Fiberglass Corp.: One 8-inch pipeline extends from wharf to 7 steel, asphalt storage tanks in rear; total capacity 200,000 barrels.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 215 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 20.7 PWD: 041
Name: **Crowley American Transport, Tri-level Dock.**
Location: Left bank, St. Johns River, approximately 0.6 mile below John E. Mathews Bridge. Datum: MLW
Operator: Crowley American Transport Inc.
Owner: Crowley American Transport Inc.
Address: 1163 Talleyrand Avenue. Phone: 904/727-2265
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Receipt and shipment of containerized roll-on/roll-off general cargo in foreign and domestic trade; shipment of automobiles.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 30.338889
Total Berthing Space (feet): 100 | 730 | Longitude (decimal): -81.62722
Remarks: Approximately 62 acres of paved, open storage area are located in rear for storing trailers, and cargo awaiting shipment. Storage area includes approximately 1,700 trailer parking spaces, storage space for 1,000 and 70 positions for refrigerated containers.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 219 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 21.1 PWD: 042
Name: **The Auchter Co., Equipment Yard Mooring.**
Location: Left bank, St. Johns River, approximately 0.2 mile below John E. Mathews Bridge. Datum: MLW
Operator: Not operated.
Owner: The Auchter Co.
Address: 801 Talleyrand Avenue. Phone: 904/535-9671
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 2 | | Latitude (decimal): 30.329167
Total Berthing Space (feet): 200 | 150 | Longitude (decimal): -81.62778
Remarks: Open area located at rear is used for storage of equipment and supplies.
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 226 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 21.3 PWD: 043
Name: **Wood-Hopkins Contracting Co. Wharf.**
Location: Left bank, St. Johns River, under John E. Mathews Bridge. Datum: MLW
Operator: Wood-Hopkins Contracting Co.
Owner: Wood-Hopkins Contracting Co.
Address: 1901 Hill Street. Phone: 904/353-5521
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Handling construction materials and equipment; mooring company-owned floating equipment.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 30.327222
Total Berthing Space (feet): 240 | 450 | 60 Longitude (decimal): -81.62583
Remarks: Open storage area on pier and at rear is used for storage of equipment and supplies.
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 227 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 21.4 PWD: 044
Name: **Commodore's Point Terminal, Mooring Wharf.**
Location: Left bank, St. Johns River, approximately 0.1 mile above John E. Mathews Bridge. Datum: MLW
Operator: Commodore's Point Terminal Corp.
Owner: Commodore's Point Terminal Corp.
Address: 2029 East Adams Street. Phone: 904/353-0828
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring reserve fleet vessels.
Depth Alongside (feet): 28 | | Latitude (decimal): 30.325278
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.62639
Remarks: -□□
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 251 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 21.7 PWD: 045
Name: **Commodore's Point Terminal Wharf.**
Location: Left bank, St. Johns River, approximately 0.4 mile above John E. Mathews Bridge. Datum: MLW
Operator: Petroleum Fuel & Terminal Co.; Blue Circle Cement Co.; and Lehigh Portland Cement Co.
Owner: Commodore's Point Terminal Corp.
Address: 2029 East Adams Street. Phone: 904/354-0177
Town: Jacksonville State: FL County: Duval
Railway Connection: One surface track on apron and one carfloor-level track at rear of transit sheds; connect with CSX Transportation.
Purpose: Receipt of petroleum products, bulk cement, and slag.
Depth Alongside (feet): 28 - 30 | | Latitude (decimal): 30.324167
Total Berthing Space (feet): 700 | | Longitude (decimal): -81.62639
Remarks: Petroleum Fuel & Terminal Co., a subsidiary of Apex Oil Co.: One 8- and one 6-inch pipelines extend from wharf to 6 steel storage tanks in rear; total capacity 300,000 barrels. Blue Circle Cement Co.: Four 12-inch pipelines extend from wharf to 12 concrete, bulk cement storage silos; total capacity 37,000 tons. □Lehigh Portland Cement Co.: Four 10-inch pipelines extend from wharf to 6concrete, bulk cement storage tanks; total capacity 31,950 tons.
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 251 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 21.8 PWD: 046
Name: **North Florida Shipyards, Lower Wharf.**
Location: Left bank, St. Johns River, approximately 0.6 mile above John E. Mathews Bridge. Datum: MLW
Operator: North Florida Shipyards Inc.
Owner: Commodore's Point Terminal Corp.
Address: Foot of East Adams Street. Phone: 904/354-3278
Town: Jacksonville State: FL County: Duval
Railway Connection: One surface track on apron and one carfloor-level track at rear of shop buildings; connect with CSX Transportation.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 20 - 34 | | Latitude (decimal): 30.32
Total Berthing Space (feet): 2,320 | | Longitude (decimal): -81.62722
Remarks: Former transit sheds at rear are used as shop buildings and for storage. One 2,800-ton, floating drydock is moored at lower face.□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 275 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 22.1 PWD: 047
Name: **North Florida Shipyard, Upper Wharf.**
Location: Left bank, St. Johns River, above Isaiah D. Hart Bridge. Datum: MLW
Operator: North Florida Shipyard Inc.
Owner: Commodore's Point Terminal Corp.
Address: Foot of East Adams Street. Phone: 904/354-3278
Town: Jacksonville State: FL County: Duval
Railway Connection: One surface track along East Bay Street in rear; connects with CSX Transportation.
Purpose: Mooring vessels for storage, outfitting, and repair.
Depth Alongside (feet): 22 | | Latitude (decimal): 30.317778
Total Berthing Space (feet): 770 | | Longitude (decimal): -81.63056
Remarks: Wharf is contiguous with Ref. No. 46.□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 275 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 22.2 PWD: 048
Name: **Dixie Towing Corp. Wharf.**
Location: Left bank, St. Johns River, approximately 1,200 feet above Isaiah D. Hart Bridge. Datum: MLW
Operator: Dixie Towing Corp.
Owner: Alexander Brest.
Address: 110 Bryan Street. Phone: 904/358-0202
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring company-owned, floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.318056
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.63306
Remarks: -□□
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 278 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 22.3 PWD: 049
Name: **Durocher Dock & Dredge, Jacksonville Wharf.**
Location: Left bank, St. Johns River, approximately 1,400 feet above Isaiah D. Hart Bridge. Datum: MLW
Operator: Durocher Dock & Dredge Inc.
Owner: Alexander Brest.
Address: 1720 East Adams Street. Phone: 904/633-9040
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring and repairing company-owned, floating equipment; handling supplies and equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.318056
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.63417
Remarks: Open storage area located at rear is used for storage of equipment and supplies.□
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 298 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 22.4 PWD: 050
Name: **Cross State Towing Co., Adams Street Yard Wharf.**
Location: Left bank, St. Johns River, approximately 1,700 feet above Isaiah D. Hart Bridge. Datum: MLW
Operator: Cross State Towing Co.
Owner: Alexander Brest.
Address: 1746 East Adams Street. Phone: 904/745-1603
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring company-owned, floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.318333
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.63528
Remarks: Open storage area for equipment and supplies is located at rear. □ □
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 327 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 22.5 PWD: 051
Name: **Moran Towing of Florida Wharf.**
Location: Left bank, St. Johns River, approximately 2,100 feet above Isaiah D. Hart Bridge. Datum: MLW
Operator: Moran Towing of Florida Inc.
Owner: Alexander Brest.
Address: 1534 East Adams Street. Phone: 904/354-0683
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring and repairing company-owned towboats.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.318611
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.6375
Remarks: Open storage area and one, 75- by 25-foot, metal building located at rear of wharf are used for storage of equipment and supplies. □
Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 14018 Dock Code: 288 Jacksonville District

Port Series No. 15 Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 22.9 PWD: 052
Name: **Jacksonville Riverfront Development, Pier No. 7 Wharf.**
Location: Left bank, St. Johns River, approximately 0.9 mile below John T. Alsop Bridge. Datum: MLW
Operator: Jacksonville Riverfront Development Ltd.
Owner: Jacksonville Riverfront Development Ltd.
Address: 750 East Bay Street. Phone: 904/632-0004
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring historic vessel 'Rattlesnake' on exhibition.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.321111
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.64417
Remarks: Wharf is located between two former shipyard piers which, at time of survey (1996), were being converted into use as parking lots for nearby stadium events.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 334 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 23.2 PWD: 057
Name: **Jacksonville Electric Authority, Southside Generating Station Whar**
Location: Right bank, St. Johns River, approximately 0.5 mile below John T. Alsop Bridge. Datum: MLW
Operator: Jacksonville Electric Authority.
Owner: City of Jacksonville.
Address: 801 Broadcast Place. Phone: 904/632-6618
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 27 - 30 | | Latitude (decimal): 30.316667
Total Berthing Space (feet): 428 | | Longitude (decimal): -81.63
Remarks: One 12-inch pipeline extends from wharf to 4 steel storage tanks at plant in rear; total capacity 326,000 barrels. □
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 725 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 23.2 PWD: 053
Name: **Jacksonville Riverfront Development, Pier No. 1.**
Location: Left bank, St. Johns River, approximately 0.7 mile below John T. Alsop Bridge. Datum: MLW
Operator: Not operated.
Owner: Jacksonville Riverfront Development Ltd.
Address: 750 East Bay Street. Phone: 904/632-0004
Town: Jacksonville State: FL County: Duval
Railway Connection: Trackage located in rear; connects with CSX Transportation.
Purpose: Not used.
Depth Alongside (feet): 25 - 55 | 55 | 18 - 20 Latitude (decimal): 30.320556
Total Berthing Space (feet): 40 | 798 | 530 Longitude (decimal): -81.64778
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 334 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 23.3 PWD: 054
Name: **Cuban Caribbean Shipping, Pier No. 2.**
Location: Left bank, St. Johns River, approximately 0.5 mile below John T. Alsop Bridge. Datum: MLW
Operator: Cuban Caribbean Shipping Inc.
Owner: Jacksonville Riverfront Development Ltd.
Address: 750 East Bay Street. Phone: 904/355-2822
Town: Jacksonville State: FL County: Duval
Railway Connection: Trackage in rear; connects with CSX Transportation.
Purpose: Receipt and shipment of general cargo in foreign and domestic (Puerto Rico) trade. (See Remarks.)
Depth Alongside (feet): 35 - 40 | 40 | 40 Latitude (decimal): 30.321389
Total Berthing Space (feet): - | 660 | 660 Longitude (decimal): -81.65
Remarks: At time of survey, the majority of cargo handled was in fulfillment of various Federal Government contracts. □ Approximately 4 acres of open storage area are available on adjacent pier and at rear.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 334 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 23.4 PWD: 055
Name: **Jacksonville Riverfront Development, Pier No. 3.**
Location: Left bank, St. Johns River, approximately 0.5 mile below John T. Alsop Bridge. Datum: MLW
Operator: Jacksonville Riverfront Development Ltd.
Owner: Jacksonville Riverfront Development Ltd.
Address: 750 East Bay Street. Phone: 904/632-0004
Town: Jacksonville State: FL County: Duval
Railway Connection: Trackage located in rear; connects with CSX Transportation.
Purpose: Mooring vessels and barges.
Depth Alongside (feet): 40 | 48 | 48 Latitude (decimal): 30.321667
Total Berthing Space (feet): - | 660 | Longitude (decimal): -81.65056
Remarks: Pier is used for cargo storage by Cuban Caribbean Shipping Inc., operators of adjacent Pier No. 2 (P.W.D. Ref. No. 54).□

Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 334 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 23.4 PWD: 056
Name: **Jacksonville Riverfront Development, Pier No. 4.**
Location: Left bank, St. Johns River, approximately 0.5 mile below John T. Alsop Bridge. Datum: MLW
Operator: Jacksonville Riverfront Development Ltd.
Owner: Jacksonville Riverfront Development Ltd.
Address: 750 East Bay Street. Phone: 904/632-0004
Town: Jacksonville State: FL County: Duval
Railway Connection: Trackage in rear; connects with CSX Transportation.
Purpose: Mooring vessels and barges.
Depth Alongside (feet): 32 | 25 - 32 | 25 - 32 Latitude (decimal): 30.321389
Total Berthing Space (feet): - | 700 | 700 Longitude (decimal): -81.65139
Remarks: Pier is used for cargo storage by Cuban Carribean Shipping Inc., operators of Pier No. 2 (P.W.D. Ref. No. 54).□

Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 334 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 3.0 PWD: 064
Name: **U. S. Coast Guard Base, Mayport Wharf.**
Location: Right bank, St. Johns River, approximately 3 miles above St. Johns Point. Datum: MLW
Operator: U. S. Coast Guard.
Owner: United States Government.
Address: 4200 Ocean Street. Phone: 904/247-7300
Town: Mayport State: FL County: Duval
Railway Connection: None.
Purpose: Mooring U. S. Coast Guard vessels, buoy tender 'LAUREL,' construction tender 'HAMMER,' and patrol boat 'PEA ISLAND'; handling navigation aids.
Depth Alongside (feet): 16 | 16 | Latitude (decimal): 30.387778
Total Berthing Space (feet): 150 | 125 | Longitude (decimal): -81.43556
Remarks: Building in rear is used for offices, and for maintenance and repair of navigation buoys. Paved, open storage area for buoys is located in rear. □
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 997 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 4.8 PWD: 003
Name: **Fort George Ferry Slip.**
Location: Left bank, St. Johns River, approximately 600 feet above the mouth of Shad Creek. Datum: MLW
Operator: State of Florida, Department of Transportation, St. Johns River Ferry Service Organiz
Owner: State of Florida, Department of Transportation. (See Remarks.)
Address: 9650 Heckscher Drive. Phone: 904/270-2520
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferries from Mayport.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.394722
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.43639
Remarks: At time of survey (1996), plans called for ownership to be transferred to the City of Jacksonville. Ferries operate to Mayport Ferry Slip (P.W.D. Ref. No. 77).
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 005 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 4.9 PWD: 004
Name: **Atlantic Drydock Corp., East Bulkhead Wharf.**
Location: Left bank, St. Johns River, approximately 400 feet below Sisters Creek (Intracoastal Waterway). Datum: MLW
Operator: Atlantic Drydock Corp.
Owner: Atlantic Drydock Corp.
Address: 8500 Heckscher Drive. Phone: 904/251-1506
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.394722
Total Berthing Space (feet): 75 | - | Longitude (decimal): -81.46028
Remarks: A 4,000-ton, marine railway is located on lower side, and a 1,000-ton, marine railway is located on the upper side. □
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 007 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 5.0 PWD: 005
Name: **Atlantic Drydock Corp., Pier No. 2.**
Location: Left bank, St. Johns River, approximately 300 feet below Sisters Creek (Intracoastal Waterway). Datum: MLW
Operator: Atlantic Drydock Corp.
Owner: Atlantic Drydock Corp.
Address: 8500 Heckscher Drive. Phone: 904/251-1506
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 30.387222
Total Berthing Space (feet): | 455 | 455 Longitude (decimal): -81.46139
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 007 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 5.0 PWD: 006
Name: **Atlantic Drydock Corp., West Bulkhead Wharf.**
Location: Left bank, Sisters Creek (Intracoastal Waterway), at junction with St. Johns River. Datum: MLW
Operator: Atlantic Drydock Corp.
Owner: Atlantic Drydock Corp.
Address: 8500 Heckscher Drive. Phone: 904/251-1506
Town: Jacksonville State: FL County: Duval
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.388889
Total Berthing Space (feet): 910 | | Longitude (decimal): -81.46111
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 007 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 9.0 PWD: 012
Name: **Gate Maritime Properties, Berth 5.**
Location: Southwest side, at outer end of slip (Back River), at east end of Blount Island, left bank, St. Johns Ri Datum: MLW
Operator: Gate Maritime Properties Inc.
Owner: Gate Maritime Properties Inc.
Address: 5880 Channelview Boulevard. Phone: 904/751-3405
Town: Jacksonville State: FL County: Duval
Railway Connection: Trackage serving terminal in rear; connects with CSX Transportation.
Purpose: Mooring vessels.
Depth Alongside (feet): 39 | | Latitude (decimal): 30.396111
Total Berthing Space (feet): 900 | | Longitude (decimal): -81.52
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 015 Jacksonville District

Port Series No. 15 Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 9.3 PWD: 010
Name: **Gate Maritime Properties, Berth 1.**
Location: Southwest side, 1,300 feet from inner end of slip (Back River), at east end of Blount Island, left bank, Datum: MLW
Operator: Gate Maritime Properties Inc.
Owner: Gate Maritime Properties Inc.
Address: 5880 Channelview Boulevard. Phone: 904/751-3405
Town: Jacksonville State: FL County: Duval
Railway Connection: Trackage serving terminal in rear; connects with CSX Transportation.
Purpose: Receipt and shipment of miscellaneous bulk materials, notably gypsum and lime rock; handling heavy-lift items and military cargo.
Depth Alongside (feet): 37 | | Latitude (decimal): 30.398889
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -81.52528
Remarks: Approximately 60 acres of open storage staging area, as well as up to 500,000 square feet of covered storage space, available as required, are located at rear.
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 015 Jacksonville District

Port: **Jacksonville**
Waterway: **St. Johns River** Mile: 9.8 PWD: 013
Name: **St. Johns River, Coal Terminal Dock.**
Location: Left bank, St. Johns River (Dame Point - Fulton Cutoff), approximately 1.4 miles above lower end of Blou Datum: MLW
Operator: St. Johns River Power Park.
Owner: Florida Power & Light Co. and City of Jacksonville.
Address: 6020 William Mills Street. Phone: 904/251-3707
Town: Jacksonville State: FL County: Duval
Railway Connection: Loop trackage with capacity for 107 cars serves rotary dumper at plant 3< miles in rear; connects with CSX Transportation.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 38 | | Latitude (decimal): 30.399722
Total Berthing Space (feet): 808 | | Longitude (decimal): -81.43333
Remarks: Open storage area at power plant has capacity for 1,500,000 tons and is served by a traveling stacker and a traveling bucket reclaimer.□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 017 Jacksonville District

Port Series No. 15
Jacksonville and Fernandina Beach, FL

Port: **Jacksonville**
Waterway: **Trout River** Mile: 16.4 PWD: 025
Name: **Gate Concrete Products Co., Barge Slips.**
Location: Left bank, Trout River, approximately 3,000 feet above St. Johns River. Datum: MLW
Operator: Gate Concrete Products Co.
Owner: Gate Concrete Products Co.
Address: 402 Heckscher Drive. Phone: 904/757-0860
Town: Jacksonville State: FL County: Duval
Railway Connection: One surface track serving open storage area in rear; connects with CSX Transportation.
Purpose: Shipment of prestressed concrete products by barge.
Depth Alongside (feet): 4 - 10 | 4 - 10 | Latitude (decimal): 30.397222
Total Berthing Space (feet): 232 | 152 | Longitude (decimal): -81.64028
Remarks: Prestressed, concrete-casting plant with 20 casting beds, and approximately 20 acres of open storage area are located in rear. □
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 030 Jacksonville District

Port: **Jacksonville**
Waterway: **Trout River.** Mile: 16.4 PWD: 024
Name: **Gate Concrete Products Co. Wharf.**
Location: Left bank, Trout River, approximately 2,100 feet above St. Johns River. Datum: MLW
Operator: Gate Concrete Products Co.
Owner: Gate Concrete Products Co.
Address: 402 Heckscher Drive. Phone: 904/757-0860
Town: Jacksonville State: FL County: Duval
Railway Connection: One surface track extends through storage yard at rear of wharf; connects with CSX Transportation.
Purpose: Mooring barges.
Depth Alongside (feet): 6 - 8 | | Latitude (decimal): 30.397778
Total Berthing Space (feet): 270 | | Longitude (decimal): -81.63889
Remarks: -□□
Year of Last Survey: 1996 Corps of Engrs Waterway Code: 14018 Dock Code: 030 Jacksonville District
